

SEQUENCE LISTING

<110> PROLIGO, LLC
 Arar, Khalil

<120> Fluorogenic Nucleic Acid Probes Including LNA For Methods To
 Detect And/Or Quantify Nucleic Acid Analytes

<130> PRO14PCT

<150> 60/482,684
 <151> 2003-06-26

<160> 15

<170> PatentIn version 3.2

<210> 1
 <211> 18
 <212> DNA
 <213> Artificial

<220>
 <223> Synthetic nucleic acid ligand

<400> 1
 aggaagatgt gcctttca 18

<210> 2
 <211> 19
 <212> DNA
 <213> Artificial

<220>
 <223> Synthetic Nucleic Acid Ligand

<400> 2
 aaatgcttgc tagaccaat 19

<210> 3
 <211> 25
 <212> DNA
 <213> Artificial

<220>
 <223> Synthetic Nucleic Acid Ligand

<220>
 <221> misc_feature
 <222> (11)..(11)
 <223> C at position 11 is derivatized with dye LC Red 640

<400> 3
 ccaccttctc caagaactat attgt 25

<210> 4
 <211> 22

<212> DNA
 <213> Artificial

 <220>
 <223> Synthetic Nucleic Acid Ligand

 <400> 4
 cgttgacctc cactcagtggt ga 22

 <210> 5
 <211> 17
 <212> DNA
 <213> Artificial

 <220>
 <223> Synthetic Nucleic Acid Ligand

 <220>
 <221> misc_feature
 <222> (5)..(5)
 <223> C at position 5 is a locked nucleic acid

 <220>
 <221> misc_feature
 <222> (11)..(11)
 <223> C at position 11 is derivatized with dye LC Red 640

 <220>
 <221> misc_feature
 <222> (11)..(11)
 <223> C at position 11 is a locked nucleic acid

 <220>
 <221> misc_feature
 <222> (15)..(15)
 <223> A at position 15 is a locked nucleic acid

 <400> 5
 ccaccttctc caagaac 17

 <210> 6
 <211> 17
 <212> DNA
 <213> Artificial

 <220>
 <223> Synthetic Nucleic Acid Ligand

 <220>
 <221> misc_feature
 <222> (4)..(4)
 <223> T at position 4 is a locked nucleic acid

 <220>
 <221> misc_feature
 <222> (8)..(8)
 <223> C at position 8 is a locked nucleic acid

<220>
<221> misc_feature
<222> (12)..(12)
<223> T at position 12 is a locked nucleic acid

<400> 6
acctccactc agtgtga

17

<210> 7
<211> 17
<212> DNA
<213> Artificial

<220>
<223> Synthetic Nucleic Acid Ligand

<220>
<221> misc_feature
<222> (10)..(11)
<223> C at position 10 and 11 is a locked nucleic acid

<220>
<221> misc_feature
<222> (11)..(11)
<223> C at position 11 is derivatized with dye LC Red 640

<220>
<221> misc_feature
<222> (12)..(12)
<223> A at position 12 is a locked nucleic acid

<400> 7
ccaccttctc caagaac

17

<210> 8
<211> 16
<212> DNA
<213> Artificial

<220>
<223> Synthetic Nucleic Acid Ligand

<220>
<221> misc_feature
<222> (7)..(9)
<223> C at positions 7 and 9 is a locked nucleic acid

<220>
<221> misc_feature
<222> (8)..(8)
<223> T at position 8 is a locked nucleic acid

<400> 8
cctccactca gtgtga

16

<210> 9
<211> 15
<212> DNA
<213> Artificial

<220>
<223> Synthetic Nucleic Acid Ligand

<220>
<221> misc_feature
<222> (5)..(5)
<223> T at position 5 is a locked nucleic acid

<220>
<221> misc_feature
<222> (6)..(7)
<223> C at positions 6 and 7 is a locked nucleic acid

<220>
<221> misc_feature
<222> (7)..(7)
<223> C at position 7 is derivatized with dye LC Red 640

<220>
<221> misc_feature
<222> (11)..(11)
<223> A at position 11 is a locked nucleic acid

<400> 9
cttctccaag aacta

15

<210> 10
<211> 16
<212> DNA
<213> Artificial

<220>
<223> Synthetic Nucleic Acid Ligand

<220>
<221> misc_feature
<222> (1)..(1)
<223> C at position 1 is a locked nucleic acid

<220>
<221> misc_feature
<222> (4)..(4)
<223> T at position 4 is a locked nucleic acid

<220>
<221> misc_feature
<222> (7)..(7)
<223> G at position 7 is a locked nucleic acid

<220>
<221> misc_feature
<222> (11)..(11)
<223> G at position 11 is a locked nucleic acid

<400> 10
cactcagtgt gattcc

16

<210> 11
<211> 13
<212> DNA
<213> Artificial

<220>
<223> Synthetic Nucleic Acid Ligand

<220>
<221> misc_feature
<222> (1)..(1)
<223> C at position 1 is a locked nucleic acid

<220>
<221> misc_feature
<222> (2)..(2)
<223> T at position 2 is a locked nucleic acid

<220>
<221> misc_feature
<222> (6)..(7)
<223> C at positions 6 and 7 is a locked nucleic acid

<220>
<221> misc_feature
<222> (7)..(7)
<223> C at position 7 is derivatized with dye LC Red 640

<220>
<221> misc_feature
<222> (10)..(10)
<223> G at position 10 is a locked nucleic acid

<400> 11
cttctccaag aac

13

<210> 12
<211> 14
<212> DNA
<213> Artificial

<220>
<223> Synthetic Nucleic Acid Ligand

<220>
<221> misc_feature
<222> (1)..(1)
<223> C at position 1 is a locked nucleic acid

<220>
<221> misc_feature
<222> (6)..(6)
<223> T at position 6 is a locked nucleic acid

```

<220>
<221> misc_feature
<222> (7)..(7)
<223> G at position 7 is a locked nucleic acid

<220>
<221> misc_feature
<222> (10)..(10)
<223> A at position 10 is a locked nucleic acid

<220>
<221> misc_feature
<222> (13)..(13)
<223> C at position 13 is a locked nucleic acid

<400> 12
ctcagtgtga ttcc
14

<210> 13
<211> 13
<212> DNA
<213> Artificial

<220>
<223> Synthetic Nucleic Acid Ligand

<220>
<221> misc_feature
<222> (1)..(1)
<223> C at position 1 is a locked nucleic acid

<220>
<221> misc_feature
<222> (7)..(7)
<223> C at position 7 is derivatized with dye LC Red 640

<400> 13
cttctccaag aac
13

<210> 14
<211> 14
<212> DNA
<213> Artificial

<220>
<223> Synthetic Nucleic Acid Ligand

<400> 14
ctcagtgtga ttcc
14

<210> 15
<211> 13
<212> DNA
<213> Artificial

<220>

```

<223> Synthetic Nucleic Acid Ligand

<220>

<221> misc_feature

<222> (7)..(7)

<223> C at position 7 is derivatized with dye LC Red 640

<400> 15

cttctccaag aac

13

WO 2005/003373

PCT/US2004/019671

PRO14PCT.ST25.txt
SEQUENCE LISTING

<110> PROLIGO, LLC
Arar, Khalil

<120> Fluorogenic Nucleic Acid Probes Including LNA For Methods To
Detect And/Or Quantify Nucleic Acid Analytes

<130> PRO14PCT

<150> 60/482,684
<151> 2003-06-26

<160> 15

<170> PatentIn version.3.2

<210> 1
<211> 18
<212> DNA
<213> Artificial

<220>
<223> Synthetic nucleic acid ligand

<400> 1
aggaagatgt gcctttca 18

<210> 2
<211> 19
<212> DNA
<213> Artificial

<220>
<223> Synthetic Nucleic Acid Ligand

<400> 2
aaatgcttgc tagaccaat 19

<210> 3
<211> 25
<212> DNA
<213> Artificial

<220>
<223> Synthetic Nucleic Acid Ligand

<220>
<221> misc_feature
<222> (11)..(11)
<223> C at position 11 is derivatized with dye LC Red 640

<400> 3
ccaccttctc caagaactat attgt 25

<210> 4
<211> 22
<212> DNA
<213> Artificial

PRO14PCT.ST25.txt

<220>
<223> Synthetic Nucleic Acid Ligand

<400> 4
cgttgacctc cactcagtgt ga

22

<210> 5
<211> 17
<212> DNA
<213> Artificial

<220>
<223> Synthetic Nucleic Acid Ligand

<220>
<221> misc_feature
<222> (5)..(5)
<223> C at position 5 is a locked nucleic acid

<220>
<221> misc_feature
<222> (11)..(11)
<223> C at position 11 is derivatized with dye LC Red 640

<220>
<221> misc_feature
<222> (11)..(11)
<223> C at position 11 is a locked nucleic acid

<220>
<221> misc_feature
<222> (15)..(15)
<223> A at position 15 is a locked nucleic acid

<400> 5
ccaccttctc caagaac

17

<210> 6
<211> 17
<212> DNA
<213> Artificial

<220>
<223> Synthetic Nucleic Acid Ligand

<220>
<221> misc_feature
<222> (4)..(4)
<223> T at position 4 is a locked nucleic acid

<220>
<221> misc_feature
<222> (8)..(8)
<223> C at position 8 is a locked nucleic acid

<220>
<221> misc_feature
<222> (12)..(12)

PRO14PCT.ST25.txt

<223> T at position 12 is a locked nucleic acid

<400> 6
acctccactc agtgtga

17

<210> 7
<211> 17
<212> DNA
<213> Artificial<220>
<223> Synthetic Nucleic Acid Ligand<220>
<221> misc_feature
<222> (10)..(11)
<223> C at position 10 and 11 is a locked nucleic acid<220>
<221> misc_feature
<222> (11)..(11)
<223> C at position 11 is derivatized with dye LC Red 640<220>
<221> misc_feature
<222> (12)..(12)
<223> A at position 12 is a locked nucleic acid<400> 7
ccaccttctc caagaac

17

<210> 8
<211> 16
<212> DNA
<213> Artificial<220>
<223> Synthetic Nucleic Acid Ligand<220>
<221> misc_feature
<222> (7)..(9)
<223> C at positions 7 and 9 is a locked nucleic acid<220>
<221> misc_feature
<222> (8)..(8)
<223> T at position 8 is a locked nucleic acid<400> 8
cctccactca gtgtga

16

<210> 9
<211> 15
<212> DNA
<213> Artificial

<220>

PRO14PCT.ST25.txt

<223> Synthetic Nucleic Acid Ligand

<220>

<221> misc_feature

<222> (5)..(5)

<223> T at position 5 is a locked nucleic acid

<220>

<221> misc_feature

<222> (6)..(7)

<223> C at positions 6 and 7 is a locked nucleic acid

<220>

<221> misc_feature

<222> (7)..(7)

<223> C at position 7 is derivatized with dye LC Red 640

<220>

<221> misc_feature

<222> (11)..(11)

<223> A at position 11 is a locked nucleic acid

<400> 9

cttctccaag aacta

15

<210> 10

<211> 16

<212> DNA

<213> Artificial

<220>

<223> Synthetic Nucleic Acid Ligand

<220>

<221> misc_feature

<222> (1)..(1)

<223> C at position 1 is a locked nucleic acid

<220>

<221> misc_feature

<222> (4)..(4)

<223> T at position 4 is a locked nucleic acid

<220>

<221> misc_feature

<222> (7)..(7)

<223> G at position 7 is a locked nucleic acid

<220>

<221> misc_feature

<222> (11)..(11)

<223> G at position 11 is a locked nucleic acid

<400> 10

cactcagtgt gattcc

16

<210> 11

<211> 13

<212> DNA

PRO14PCT.ST25.txt

<213> Artificial

<220>

<223> Synthetic Nucleic Acid Ligand

<220>

<221> misc_feature

<222> (1)..(1)

<223> C at position 1 is a locked nucleic acid

<220>

<221> misc_feature

<222> (2)..(2)

<223> T at position 2 is a locked nucleic acid

<220>

<221> misc_feature

<222> (6)..(7)

<223> C at positions 6 and 7 is a locked nucleic acid

<220>

<221> misc_feature

<222> (7)..(7)

<223> C at position 7 is derivatized with dye LC Red 640

<220>

<221> misc_feature

<222> (10)..(10)

<223> G at position 10 is a locked nucleic acid

<400> 11

cttctccaag aac

13

<210> 12

<211> 14

<212> DNA

<213> Artificial

<220>

<223> Synthetic Nucleic Acid Ligand

<220>

<221> misc_feature

<222> (1)..(1)

<223> C at position 1 is a locked nucleic acid

<220>

<221> misc_feature

<222> (6)..(6)

<223> T at position 6 is a locked nucleic acid

<220>

<221> misc_feature

<222> (7)..(7)

<223> G at position 7 is a locked nucleic acid

<220>

<221> misc_feature

<222> (10)..(10)

<223> A at position 10 is a locked nucleic acid

PRO14PCT.ST25.txt

<220>
<221> misc_feature
<222> (13)..(13)
<223> C at position 13 is a locked nucleic acid

<400> 12
ctcagtgtga ttcc 14

<210> 13
<211> 13
<212> DNA
<213> Artificial

<220>
<223> Synthetic Nucleic Acid Ligand

<220>
<221> misc_feature
<222> (1)..(1)
<223> C at position 1 is a locked nucleic acid

<220>
<221> misc_feature
<222> (7)..(7)
<223> C at position 7 is derivatized with dye LC Red 640

<400> 13
cttctccaag aac 13

<210> 14
<211> 14
<212> DNA
<213> Artificial

<220>
<223> Synthetic Nucleic Acid Ligand

<400> 14
ctcagtgtga ttcc 14

<210> 15
<211> 13
<212> DNA
<213> Artificial

<220>
<223> Synthetic Nucleic Acid Ligand

<220>
<221> misc_feature
<222> (7)..(7)
<223> C at position 7 is derivatized with dye LC Red 640

<400> 15
cttctccaag aac 13